




Product specifications

To learn more about our contact lenses visit:
www.coopervision.co.za



| Product | Sphere Power | Cylinder Power (DC) | Axis° | Add Power (D) | Design | Technologies | Wear Schedule & Replacement Frequency | Base Curve (mm) | Diameter (mm) | Material USAN | Water content (%) | Oxygen transmissibility Dk/t† | UV Blocking* & Class | Visibility Tint | Pack size |
|---|--|--|---|---|------------|--|---------------------------------------|-----------------|---------------|---------------|-------------------|-------------------------------|----------------------|-----------------|--------------|
|  clariti® 1 day sphere | -0.50D to -10.00D +0.50D to +8.00D (0.50D steps after +/- 6.00D) No Plano | --- | --- | --- | Asphere | WetLoc® Technology | Daily wear; 1 day replacement | 8.6 | 14.1 | somofilcon A | 56 | 86 | Class 2 | No | 30 & 90 Pack |
|  clariti® 1 day multifocal | +5.00D to -6.00D (0.25D steps) | --- | --- | Low: up to +2.25D High: +2.50D to +3.00D | Multifocal | WetLoc® Technology | Daily wear; 1 day replacement | 8.6 | 14.1 | somofilcon A | 56 | 86 | Class 2 | No | 30 Pack |
|  clariti® 1 day toric | Plano to -6.00D (0.25D steps) | -0.75, -1.25, -1.75 | Full circle in 10° steps | --- | Toric | Prism ballast design WetLoc® Technology | Daily wear; 1 day replacement | 8.6 | 14.3 | somofilcon A | 56 | 57 | Class 2 | No | 30 Pack |
| | | -2.25 | 10°, 20°, 70°, 80°, 90°, 100°, 110°, 160°, 170°, 180° | | | | | | | | | | | | |
| | -0.75, -1.25, -1.75 | 10°, 20°, 60°, 70°, 80°, 90°, 100°, 110°, 120°, 160°, 170°, 180° | | | | | | | | | | | | | |
| | -2.25 | 10°, 20°, 90°, 160°, 170°, 180° | | | | | | | | | | | | | |
| +0.25D to +4.00D (0.25D steps) | -0.75, -1.25, -1.75 | 10°, 20°, 70°, 80°, 90°, 100°, 110°, 160°, 170°, 180° | | | | | | | | | | | | | |





† (@-3.00DS) x 10⁻⁹ [(cm/sec) x (ml O₂)/(ml x mm Hg)]

* UV-blocking contact lenses help provide protection against transmission of harmful UV radiation to eye but are not substitutes for protective UV-absorbing eyewear, such as UV-absorbing goggles or sunglasses, as they do not completely cover the eye or surrounding area. Continue to use UV-absorbing eyewear as directed by your eye care professional.

Product specifications

To learn more about our contact lenses visit:
www.cooper-vision.co.za



| Product | Sphere Power | Cylinder Power (DC) | Axis° | Add Power (D) | Design | Technologies | Wear Schedule & Replacement Frequency | Base Curve (mm) | Diameter (mm) | Material USAN | Water content (%) | Oxygen transmissibility Dk/t† | UV Blocking* & Class | Visibility Tint | Pack Size |
|--|--|----------------------------------|-----------------------------|---|------------|--|---------------------------------------|-----------------|---------------|---------------|-------------------|-------------------------------|----------------------|-----------------|-----------------|
|  MiSight® 1 day | -0.25D to -10.00D (-0.25D steps, -0.50D after -6.00D) No plano | — — | — — | Treatment zones offer + 2.00D of myopic defocus | Dual-focus | ActivControl® Technology | Daily wear; 1 day replacement | 8.7 | 14.2 | omafilcon A | 60 | 28 | No | Yes | 30 & 90 Pack |
|  MyDay® daily disposable | +8.00D to -12.00D (0.50D steps after +5.00D and -6.00D) No Plano | — — | — — | — — | Asphere | Aberration Neutralizing System™ Aquaform® Technology | Daily wear; 1 day replacement | 8.4 | 14.2 | stenfilcon A | 54 | 100 | Class 2 | Yes | 30 & 90 Pack |
|  MyDay® multifocal | +8.00D to -12.00D (0.25D steps) -10.50D to -12.00D (0.50D steps) | — — | — — | Low: +0.75D to +1.25D Med: +1.50D to +1.75D High: +2.00D to +2.50D | Multifocal | Binocular Progressive System® Aquaform® Technology | Daily wear; 1 day replacement | 8.4 | 14.2 | stenfilcon A | 54 | 100 | Class 2 | Yes | 30 Pack |
|  MyDay® toric | +8.00D to -10.00D (0.50D steps after +5.00D and -6.00D) | -0.75, -1.25, -1.75, -2.25 | Full circle in 10° steps | — — | Toric | Optimized Toric Lens Geometry™ Aquaform® Technology | Daily wear; 1 day replacement | 8.6 | 14.5 | stenfilcon A | 54 | 80 | Class 2 | Yes | 30 Pack |



† (@-3.00DS) x 10⁻⁹ [(cm/sec) x (ml O₂)/(ml x mm Hg)]

* UV-blocking contact lenses help provide protection against transmission of harmful UV radiation to eye but are not substitutes for protective UV-absorbing eyewear, such as UV-absorbing goggles or sunglasses, as they do not completely cover the eye or surrounding area. Continue to use UV-absorbing eyewear as directed by your eye care professional.
 Biomedics®, clariti®, CooperVision®, MyDay®, MyDay Energys®, live®, MiSight® and Proclear® are registered trademarks of The Cooper Companies, Inc. and its subsidiaries.

Product specifications

To learn more about our contact lenses visit:
www.coopervision.co.za



| Product | Sphere Power | Cylinder Power (DC) | Axis° | Add Power (D) | Design | Technologies | Wear Schedule & Replacement Frequency | Base Curve (mm) | Diameter (mm) | Material USAN | Water content (%) | Oxygen transmissibility Dk/t [†] | UV Blocking [‡] & Class | Visibility Tint | Pack Size |
|---|--|---------------------|-------|----------------------|------------|---|---------------------------------------|-----------------|---------------|---------------|-------------------|---|----------------------------------|-----------------|--------------|
|  Proclear® 1 day | +8.00D to -12.00D (0.50D steps after +5.00D and -6.00D) No Plano | --- | --- | --- | Asphere | Aberration Neutralizing System™ PC Technology™ | Daily wear; 1 day replacement | 8.7 | 14.2 | omafilcon A | 60 | 28 | No | Yes | 30 & 90 Pack |
|  Proclear® 1 day multifocal | +6.00D to -10.00D (0.50D steps after -6.00D) | --- | --- | Single power profile | Multifocal | PC Technology™ | Daily wear; 1 day replacement | 8.7 | 14.2 | omafilcon A | 60 | 28 | No | Yes | 30 Pack |





^{††} (@-3.00DS) x 10⁻⁹ [(cm/sec) x (ml O₂)/(ml x mm Hg)]

[‡] UV-blocking contact lenses help provide protection against transmission of harmful UV radiation to eye but are not substitutes for protective UV-absorbing eyewear, such as UV-absorbing goggles or sunglasses, as they do not completely cover the eye or surrounding area. Continue to use UV-absorbing eyewear as directed by your eye care professional. Biomedics®, clariti®, CooperVision®, MyDay®, MyDay Energys®, live®, MiSight® and Proclear® are registered trademarks of The Cooper Companies, Inc. and its subsidiaries.

Product specifications

To learn more about our contact lenses visit:
www.coopervision.co.za



| Product | Sphere Power | Cylinder Power (DC) | Axis° | Add Power (D) | Design | Technologies | Wear Schedule & Replacement Frequency | Base Curve (mm) | Diameter (mm) | Material USAN | Water content (%) | Oxygen | UV Blocking† & Class | Visibility Tint | FDA Group |
|--|---|----------------------------------|----------------------------|---------------|---------|---|---------------------------------------|-----------------|---------------|---------------|-------------------|--------|----------------------|-----------------|-----------|
|  Avaira Vitality™ | +8.00D to -12.00D (0.50D steps after +/-6.00D) No Plano | — — | — — | — — | Asphere | Aberration Neutralizing System™ Aquaform® Technology | Daily wear; 30 day replacement | 8.4 | 14.2 | fanfilcon A | 55 | 110 | Class 1 | Yes | 6 Pack |
|  Avaira Vitality™ toric | +8.00D to -10.00D (0.50D steps after ±6.00D) | -0.75 -1.25 -1.75 -2.25 | 10° to 180° (10° steps) | — — | Toric | Optimized Toric Lens Geometry™ Aquaform® Technology | Daily wear; 30 day replacement | 8.5 | 14.5 | fanfilcon A | 55 | 90 | Class 1 | Yes | 3 Pack |
|  Biofinity® | +8.00D to -12.00D (0.50D steps after ±6.00D) No Plano | — — | — — | — — | Asphere | Aberration Neutralizing System™ Aquaform® Technology | Daily wear; 30 day replacement | 8.6 | 14.0 | comfilcon A | 48 | 160 | No | Yes | 6 Pack |
|  Biofinity Energys® | +8.00D to -12.00D (0.50D steps after ±6.00D) No Plano | — — | — — | — — | Asphere | DigitalBoost™ Aquaform® Technology | Daily wear; 30 day replacement | 8.6 | 14.0 | comfilcon A | 48 | 160 | No | Yes | 6 Pack |






† (@-3.00DS) x 10⁻³ [(cm/sec) x (ml O₂)/(ml x mm Hg)]

‡ UV-blocking contact lenses help provide protection against transmission of harmful UV radiation to eye but are not substitutes for protective UV-absorbing eyewear, such as UV-absorbing goggles or sunglasses, as they do not completely cover the eye or surrounding area. Continue to use UV-absorbing eyewear as directed by your eye care professional.

Product specifications

To learn more about our contact lenses visit:
www.cooper-vision.co.za



| Product | Sphere Power | Cylinder Power (DC) | Axis ° | Add Power (D) | Design | Technologies | Wear Schedule & Replacement Frequency | Base Curve (mm) | Diameter (mm) | Material USAN | Water content (%) | Oxygen | UV Blocking† & Class | Visibility Tint | FDA Group |
|---|--|---|----------------------------|----------------------------------|---|--|---------------------------------------|-----------------|---------------|---------------|-------------------|--------|----------------------|-----------------|-----------|
|  Biofinity® multifocal | +6.00D to -10.00D (0.50D steps after -6.00D) | — — | — — | +1.00 +1.50 +2.00 +2.50 | Multifocal D lens N Lens | Balanced Progressive™ Technology Aquaform® Technology | Daily wear; 30 day replacement | 8.6 | 14.0 | comfilcon A | 48 | 142 | No | Yes | 6 Pack |
|  Biofinity® toric | +8.00D to -10.00D (0.50D steps after +/-6.00D) | -0.75 -1.25 -1.75 -2.25 | 10° to 180° (10° steps) | — — | Toric | Optimized Toric Lens Geometry™ Aquaform® Technology | Daily wear; 30 day replacement | 8.7 | 14.5 | comfilcon A | 48 | 116 | No | Yes | 3 Pack |
|  Biofinity® toric multifocal | +10.00D to -10.00D (0.50D steps after +/-6.00D) | -0.75 to -5.75 (0.50D steps) | 5° to 180° (5° steps) | +1.00 +1.50 +2.00 +2.50 | Toric Multifocal D Lens N Lens | Optimized Toric Lens Geometry™ Balanced Progressive™ Technology Aquaform® Technology | Daily wear; 30 day replacement | 8.7 | 14.5 | comfilcon A | 48 | 116 | No | Yes | 3 Pack |
|  Biofinity® XR | +8.50D to +15.00D -12.50D to -20.00D (0.50D steps) | — — | — — | — — | Asphere | Aberration Neutralizing System™ Aquaform® Technology | Daily wear; 30 day replacement | 8.6 | 14.0 | comfilcon A | 48 | 160 | No | Yes | 6 Pack |
|  Biofinity® XR Toric | +10.00D to -10.00D (0.50D steps after +/-6.00D) | -2.75 -3.25 -3.75 -4.25 -4.75 -5.25 -5.75 | 5° to 180° (5° steps) | — — | Toric | Optimized Toric Lens Geometry™ Aquaform® Technology | Daily wear; 30 day replacement | 8.7 | 14.5 | comfilcon A | 48 | 116 | No | Yes | 3 Pack |





† (@-3.00DS) x 10⁻⁹ [(cm/sec) x (ml O₂)/(ml x mm Hg)]

‡ UV-blocking contact lenses help provide protection against transmission of harmful UV radiation to eye but are not substitutes for protective UV-absorbing eyewear, such as UV-absorbing goggles or sunglasses, as they do not completely cover the eye or surrounding area. Continue to use UV-absorbing eyewear as directed by your eye care professional.

Product specifications

To learn more about our contact lenses visit:
www.coopervision.co.za



| Product | Sphere Power | Cylinder Power (DC) | Axis ° | Add Power (D) | Design | Technologies | Wear Schedule & Replacement Frequency | Base Curve (mm) | Diameter (mm) | Material USAN | Water content (%) | Oxygen | UV Blocking† & Class | Visibility Tint | FDA Group |
|---|--|----------------------------------|----------------------------|----------------------------------|---|----------------|---------------------------------------|-----------------|---------------|---------------|-------------------|--------------|----------------------|-----------------|-----------|
|  Proclear® | +20.00D to -20.00D (0.50D steps after +/-6.00D) | — — — | — — — | — — — | Sphere | PC Technology™ | Daily wear; 30 days replacement | 8.6 | 14.2 | omafilcon B | 62 | 36 | No | Yes | 6 Pack |
|  Proclear® multifocal | +6.00D to -8.00D (0.50D steps after -6.50D) | — — — | — — — | +1.00 +1.50 +2.00 +2.50 | Multifocal D lens N lens | PC Technology™ | Daily wear; 30 days replacement | 8.7 | 14.4 | omafilcon B | 62 | 14.4 | No | Yes | 6 Pack |
|  Proclear® multifocal toric | +20.00D to -20.00D (0.50D steps after +/-6.50D) | -0.75 to -5.75 (0.50D steps) | 5° to 180° (5° steps) | +1.00 to +4.00 (0.50 steps) | Toric Multifocal D lens N lens | PC Technology™ | Daily wear; 30 days replacement | 8.8 8.4 | 14.4 | omafilcon B | 62 | Varies by Rx | No | Yes | 3 Pack |
|  Proclear® toric | +6.00D to -8.00D (0.50D steps after -6.50D)* | -0.75 -1.25 -1.75 -2.25 | 10° to 180° (10° steps) | — — — | Toric | PC Technology™ | Daily wear; 30 days replacement | 8.8 | 14.4 | omafilcon B | 62 | 25 | No | Yes | 6 Pack |




† (@-3.00DS) x 10⁻³ [(cm/sec) x (ml O₂)/(ml x mm Hg)]

‡ UV-blocking contact lenses help provide protection against transmission of harmful UV radiation to eye but are not substitutes for protective UV-absorbing eyewear, such as UV-absorbing goggles or sunglasses, as they do not completely cover the eye or surrounding area. Continue to use UV-absorbing eyewear as directed by your eye care professional.

Product specifications

To learn more about our contact lenses visit:
www.cooper-vision.co.za



| Product | Sphere Power | Cylinder Power (DC) | Axis ° | Add Power (D) | Design | Technologies | Wear Schedule & Replacement Frequency | Base Curve (mm) | Diameter (mm) | Material USAN | Water content (%) | Oxygen | UV Blocking [†] & Class | Visibility Tint | Pack Size |
|--|---|---------------------------------|--------------------------|---|--------------------------------|----------------|---------------------------------------|-----------------|---------------|---------------|-------------------|--------------|----------------------------------|-----------------|-----------|
|  ProcLEAR® XR toric | +10.00D to -10.00D (0.50D steps after +/-6.50D) | -2.75 to -5.75 (0.50D steps) | 5° to 180° (5° steps) | — — — | Toric | PC Technology™ | Daily wear; 30 days replacement | 8.8 | 14.4 | omafilcon B | 62 | 25 | No | Yes | 3 Pack |
|  ProcLEAR® XR multifocal | +20.00D to -20.00D (0.50D steps after +/- 6.50D) | — — — | — — — | +1.00 +1.50 +2.00 +2.50 +3.00 +3.50 +4.00 | Multifocal D lens N lens | PC Technology™ | Daily wear; 30 days replacement | 8.7 | 14.4 | omafilcon B | 62 | Varies by Rx | No | Yes | 3 Pack |
|  NewHue® | Plano +0.25D to -6.00D (0.25 steps) | — — — | — — — | — — — | Sphere / Cosmetic | — — — | Daily wear; 30 days replacement | 8.6 | 14.3 | — — — | 55% | — — — | No | — — — | 2 Pack |

[†] (@-3.00DS) x 10⁻⁹ [(cm/sec) x (ml O₂)/(ml x mm Hg)]

[†] UV-blocking contact lenses help provide protection against transmission of harmful UV radiation to eye but are not substitutes for protective UV-absorbing eyewear, such as UV-absorbing goggles or sunglasses, as they do not completely cover the eye or surrounding area. Continue to use UV-absorbing eyewear as directed by your eye care professional.

Avaira Vitality®, Biofinity®, Biofinity Energys®, Biomedics®, clariti®, CooperVision® and ProcLEAR® are registered trademarks of The Cooper Companies, Inc. and its subsidiaries.